



“committed to  
a brighter future”

**01582 887760**

[www.mlaccessories.co.uk](http://www.mlaccessories.co.uk)



**K-LINE**

3-CIRCUIT TRACK LIGHTING

**Knightsbridge**



# CONTENTS

WHAT IS K-LINE?	2 - 3
POLARITY MADE SIMPLE	4 - 5

## TRACKS

3-CIRCUIT TRACK	6 - 7
-----------------	-------


## ACCESSORIES

3-CIRCUIT TRACK SYSTEM ACCESSORIES	8 - 9
------------------------------------	-------

3-CIRCUIT TRACK SOLUTION	10 - 11
--------------------------	---------

## SPOTLIGHTS

LYNX SPOTLIGHTS	16 - 17
ATLAS SPOTLIGHTS	12 - 13
ATLAS PRO SPOTLIGHTS	14 - 15
ECLIPSE EMERGENCY SPOTLIGHT	18 - 19



# WHAT IS K-LINE?

Bring flexibility and control to the forefront of your lighting design. With three circuits built into one sleek track, K-Line lets you shape spaces exactly as you want them, from spotlighting hero products to setting the perfect mood or simply brightening the room.

Unlike single-circuit systems that treat every fitting the same, K-Line gives each circuit its own voice. That means you can switch, mix, and fine-tune your lighting to suit the moment - creating zones, adjusting brightness, and transforming atmosphere in an instant. The result? A space that works as hard as it looks, with lighting that's as adaptable as your vision.

Behind this flexibility is a design built with contractors and end users in mind. By housing three independent circuits within one track, K-Line reduces the need for multiple installations while maximising control. Installers benefit from a system that is straightforward to plan, configure, and expand, while end users enjoy a space that can evolve without the need for costly rewiring.

For commercial, retail, or hospitality projects, K-Line makes it easy to balance accent, ambient, and general illumination from the same track. You can highlight displays, guide movement through a space, or provide comfortable everyday lighting - all controlled separately but delivered together in one efficient system.




- Three independent circuits in a single track
- Ideal for commercial, retail, and hospitality spaces
- Independent switching for instant adjustments
- Efficient design that saves time and reduces hardware
- Ideal for commercial, retail, and hospitality spaces



# POLARITY MADE SIMPLE

In any track lighting system, correct polarity is essential. It ensures that the live, neutral, and earth conductors are aligned between the track body and the adapter, so power flows safely and reliably to the right components. Get it wrong, and you risk activating the wrong circuit or creating a potential hazard.




With K-Line, polarity is straightforward by design. All connectors are clearly marked with arrows and labelled "L" and "R" for left and right orientation, to be matched up with the polarity line on the track. The track itself also features a raised edge that signifies the polarity ridge - providing a simple visual and tactile guide to ensure correct alignment every time. This makes installation quicker, more intuitive, and reduces the chance of error.

For contractors, this means smoother installs with fewer risks of miswiring. For end users, it means confidence that the system is safe and reliable. With K-Line, not only do you get precise lighting control - but you also get a system engineered for clarity, accuracy, and performance.


- Clear markings for quick and accurate alignment
- Prevents cross wiring or misalignment
- Polarity line and raised edge on track for quick
- Engineered for safety, reliability, and orientation peace of mind

POLARITY MAY BE THE UNSEEN DETAIL OF TRACK LIGHTING, BUT WITH K-LINE IT'S ONE LESS THING TO WORRY ABOUT.

Correct polarity is essential for safe and reliable operation. Always align the L/R arrows on the connector with the track's polarity line - shown here in green. Incorrect alignment, highlighted in red, can result in faults or miswired circuits



Polarity is simple with K-Line: match the L/R arrows on the connector to the track's polarity line, using the raised edge as a visual and tactile guide - ensuring safe alignment and opening the door to endless lighting configurations





IP20

230V  
50Hz

16A

5  
YEAR  
WARRANTY

# 3-CIRCUIT TRACK



## 1 Metre Track

**Construction:** Aluminium

Code	Finish	Dimensions (mm)
KL1MBK	Black	L: 1000 W: 35 D: 35
KL1MW	White	L: 1000 W: 35 D: 35

## 2 Metre Track


**Construction:** Aluminium

Code	Finish	Dimensions (mm)
KL2MBK	Black	L: 2000 W: 35 D: 35
KL2MW	White	L: 2000 W: 35 D: 35


## 3 Metre Track

**Construction:** Aluminium

Code	Finish	Dimensions (mm)
KL3MBK	Black	L: 3000 W: 35 D: 35
KL3MW	White	L: 3000 W: 35 D: 35



POWER FEED  
AND END CAP  
REQUIRED



IP20

230V  
50Hz

5  
YEAR  
WARRANTY

# TRACK ACCESSORIES

## ESSENTIALS

**Construction:** Aluminium

To indicate preferred finish, replace xx on code with, BK (black), or W (white)

Code	Finish	Description
KLPFLxx	Black / White	Track Power Feed Left Connector
KLPFRxx	Black / White	Track Power Feed Right Connector
KLECx xx	Black / White	Track Dead End Cap



## ADAPTORS AND CONNECTORS

**Construction:** Aluminium

Code	Finish	Description
KLADxx	Black / White	Track Adaptor
KLANxx	Black / White	Track Angle Connector
KLBxx	Black / White	Track Power Concealed In-line Connector
KLCOLxx	Black / White	Track Left L-Connector
KLCORxx	Black / White	Track Right L-Connector
KLFLxx	Black / White	Track Flexible Connector
KLINxx	Black / White	Track In Line Connector
KLTL1xx	Black / White	Track Left T-Connector
KLTR1xx	Black / White	Track Right T-Connector
KLXxx	Black / White	Track X-Connector



## SUSPENSION KITS

**Construction:** Aluminium

Code	Finish	Description
KLSUSxx	Black / White	Track 1.5M Suspension Kit with Canopy
TRKSUS	Silver	Track 3M Suspension Kit



# 3-CIRCUIT TRACK SOLUTION


## TRACK ACCESSORIES



### LYNX SPOTLIGHT



Practical and stylish, LYNX 3-circuit track system GU10 spotlight offer a textured and sleek design, aims to be compatible with a variety of interior space, from retail to commercial. The spotlight offers adjustable, directional lighting; compatible with GU10 LED lamps, giving the end user flexibility to choose their preferred light output and colour temperature, tailoring the lighting to their exact needs.



### 3-CIRCUIT TRACK



K-LINE 3-circuit track system, designed for efficient and versatile lighting solutions in commercial spaces. The 3-circuit track system provides flexible lighting control, allowing independent operation of three separate circuits, perfect for customizing illumination to suit different areas or moods within your space.

### EMERGENCY SPOTLIGHT



The 3-Circuit Emergency Spotlight is a reliable and efficient non-maintained lighting solution designed for commercial spaces. Operating only in the event of a power failure, it provides essential guide lighting to ensure safety and reassurance when it's needed most.



### ATLAS SPOTLIGHT



Sleek and efficient, the ATLAS track spotlights combine performance and flexibility for retail, gallery, and office environments. Available in 14W and 24W models with black or white finishes, it delivers precise, adjustable lighting with easy installation and long-lasting durability. For added versatility, the ATLAS Pro offers dimmable functionality along with tri-wattage and CCT adjustability, allowing users to fine-tune both brightness and colour temperature to suit any space. Designed for energy efficiency and minimal maintenance, the ATLAS range provides a cost-effective lighting solution with exceptional visual performance.



# LYNX SPOTLIGHT

## LYNX SPOTLIGHT


350° rotation and 90° tilt

**Construction:** Aluminium

**Lamp type:** GU10



Code	Finish	Dimensions (mm)
LYN1W	White	D: 53.5 L: 100
LYN1BK	Black	D: 53.5 L: 100



## LYNX TEXTURED SPOTLIGHT


350° rotation and 90° tilt

**Construction:** Aluminium

**Lamp type:** GU10



Code	Finish	Dimensions (mm)
LYN2W	White	D: 54.4 L: 100
LYN2BK	Black	D: 54.4 L: 100





# ATLAS SPOTLIGHT

## ATLAS 14W SPOTLIGHT

350° rotation and 80° tilt

**Construction:** Aluminium

**Lamp type:** LED

**1855lm**  
14W



Code	Finish	Dimensions (mm)
AT14W	White	D: 60 L: 145
AT14BK	Black	D: 60 L: 145

## ATLAS 24W SPOTLIGHT

350° rotation and 80° tilt


**Construction:** Aluminium

**Lamp type:** LED

**3410lm**  
24W



Code	Finish	Dimensions (mm)
AT24W	White	D: 80 L: 160
AT24BK	Black	D: 80 L: 160



WATTAGE SELECTION



CCT SELECTION

INDEPENDENT CIRCUIT SELECTION



COB LED LAMP INCLUDED

350° ROTATION  
AND 80° TILT

DIMMABLE\*

IP20

CRI >90



5  
YEAR  
WARRANTY

\*Please check compatibility before installation

# ATLAS PRO SPOTLIGHT

## ATLAS PRO 10W/12W/15W CCT SPOTLIGHT

350° rotation and 80° tilt

Construction: Aluminium

Lamp type: LED





Code	Finish	Dimensions (mm)
ATCW15W	White	D: 60 L: 145
ATCW15BK	Black	D: 60 L: 145

2700K  
4000K  
6000K

10W  
12W  
15W

UP TO  
1475lm  
15W



## ATLAS PRO 26W/28W/30W CCT SPOTLIGHT

350° rotation and 80° tilt

Construction: Aluminium

Lamp type: LED






Code	Finish	Dimensions (mm)
ATCW30W	White	D: 80 L: 160
ATCW30BK	Black	D: 80 L: 160

2700K  
4000K  
6000K

26W  
28W  
30W

UP TO  
3010lm  
30W





IP20

3W

6000K

DUAL MODE

LITHIUM LiFePO4

5 YEAR WARRANTY  
(Battery Included)



# ECLIPSE

## EMERGENCY SPOTLIGHT



**Construction:** Aluminium

Code	Finish	Dimensions (mm)
ECLEMW	White	L: 230 H: 72 W: 65
ECLEMBK	Black	L: 230 H: 72 W: 65



## ABOUT US

Founded in 1998, Knightsbridge has grown into one of the UK's most trusted names in lighting and electrical wiring accessories. We offer a wide, competitively priced range of products - from switches and sockets to fire-rated downlights and commercial lighting solutions - designed to meet the practical needs of installers, contractors, and specifiers.

What sets us apart is our approach to customer service. At Knightsbridge, it's more than a department - it's a mindset. We aim to make life easier for the electrical trade through reliable next-day delivery across mainland UK, strong stock availability, and a product range that keeps growing in both depth and variety.

Our goal is to be a partner that the trade can rely on, providing quality, specification-ready products that help make installations safe, efficient, and hassle-free.

Whether you're already working with us or discovering Knightsbridge for the first time, we're confident you'll see why our customers keep coming back.



ESTABLISHED IN 1998




3000+ PRODUCTS  
IN STOCK




£12M INVENTORY -  
READY TO SUPPLY



UK-WIDE WHOLESALE  
COVERAGE WITH  
SPECIFICATION TEAM



BACKED BY A £250M  
GROUP OPERATING  
ACROSS 13 COUNTRIES



COMMITTED TO A  
BRIGHTER FUTURE

### OFFICE HOURS:

Mon-Thu: 8am to 5.30pm  
Fri: 8am to 5pm  
Closed on weekends


**Tel:** 01582 88 77 60

**Enquiries:** [sales@mlaccessories.co.uk](mailto:sales@mlaccessories.co.uk)

**Orders:** [orders@mlaccessories.co.uk](mailto:orders@mlaccessories.co.uk)

[www.mlaccessories.co.uk](http://www.mlaccessories.co.uk)


## CUSTOMER SERVICE




QUOTES WITHIN  
1 HOUR




SAME DAY COLLECTION  
FROM OUR WAREHOUSE




5PM CUT OFF NEXT DAY  
DELIVERY (MON-THU)  
(3PM ON FRIDAYS)



DELIVER DIRECT TO  
YOUR CUSTOMERS  
WITH K-DIRECT



98%\* STOCK  
AVAILABILITY



DEDICATED AREA  
MANAGERS FOR  
PERSONALISED  
SUPPORT




EXPERT TECHNICAL  
SUPPORT FOR  
PRODUCT SELECTION  
AND SPECIFICATION



EFFICIENT RETURNS  
AND REPLACEMENTS  
WITH MINIMAL  
DISRUPTION


## ONLINE FEATURES



LIVE CHAT




LIVE STOCK  
AVAILABILITY



MANAGE AND  
TRACK ORDERS



CSV PRODUCT  
DATA DOWNLOAD



ADDITIONAL  
DISCOUNT FOR  
ORDERING ONLINE



DOWNLOADABLE  
DATASHEETS AND  
INSTALLATION  
GUIDES



MOBILE-FRIENDLY  
PLATFORM FOR  
ORDERING ON THE GO



INSTANT ACCESS TO  
INVOICES AND ACCOUNT  
DOCUMENTS ONLINE

### OFFICE HOURS:

Mon-Thu: 8am to 5.30pm  
Fri: 8am to 5pm  
Closed on weekends

**Tel:** 01582 88 77 60

**Enquiries:** [sales@mlaccessories.co.uk](mailto:sales@mlaccessories.co.uk)

**Orders:** [orders@mlaccessories.co.uk](mailto:orders@mlaccessories.co.uk)

[www.mlaccessories.co.uk](http://www.mlaccessories.co.uk)